PARCEL ONE

SMART PARCEL LOCKERS












PARCEL ONE


16 Doors Controller



	H	W	D
Size	2013 mm 79¼ in	851 mm 33½ in	500 mm 20 in


	H	W	
Boxes size	108 mm 4 ¼ in	368,3 mm 14 ½ in	*Small*
	197 mm 7¾ in	368,3 mm 14 ½ in	*Medium*
	368 mm 14 1/2 in	368,3 mm 14 ½ in	*Large*

Voltage	110V / 1A	
Temperature	Inside locker	-5°F to 122°F -15°C to 50°C
Gross Weight	370 lbs	
Materials	*Interior and exterior : Galvanized steel*	
Certification	CSA certified	




PARCEL ONE

13 Doors Controller




Size	**H** 2013 mm *79¼ in*	**W** 851 mm *33½ in*	**D** 500 mm *20 in*
Boxes size	**H**	**W**	
	108 mm *4 ¼ in*	368,3 mm *14 ½ in*	*Small*
	197 mm *7¾ in*	368,3 mm *14 ½ in*	*Medium*
	368 mm *14 1/2 in*	368,3 mm *14 ½ in*	*Large*
	952,5 mm *37½ in*	368,3 mm *14 ½ in*	*X-Large*
Voltage	110V / 1A		
Temperature	Inside locker	-5°F to 122°F	-15°C to 50°C
Gross Weight	340 lbs		
Materials	*Interior and exterior : Galvanized steel*		
Certification	CSA certified		



PARCEL ONE


20 Doors Extension



Size	H	W	D
	2013 mm 79¼ in	851 mm 33½ in	500 mm 20 in


Boxes size	H	W	
	108 mm 4 ¼ in	368,3 mm 14 ½ in	Small
	197 mm 7¾ in	368,3 mm 14 ½ in	Medium
	368 mm 14 1/2 in	368,3 mm 14 ½ in	Large

Voltage	110V / 1A		
Temperature	Inside locker	-5°F to 122°F	-15°C to 50°C
Gross Weight	370 lbs		
Materials	Interior and exterior : Galvanized steel		
Certification	CSA certified		



PARCEL ONE


14 Doors Extension



Size	H	W	D
	2013 mm *79 ¼ in*	476 mm *33 ½ in*	500 mm *20 in*


Boxes size	H	W	
	108 mm *4 ¼ in*	368 mm *14 ½ in*	*Small*
	197 mm *7 ¾ in*	368 mm *14 ½ in*	*Medium*
	368 mm *14 ½ in*	368 mm *14 ½ in*	*Large*
	952,5 mm *37 ½ in*	368 mm *14 ½ in*	*X-Large*

Voltage	110V / 1A
Temperature	Inside locker -5°F to 122°F -15°C to 50°C
Gross Weight	350 lbs
Materials	Interior and exterior : Galvanized steel
Certification	CSA certified



PARCEL ONE


10 Doors Extension



	H	W	D
Size	2013 mm *79 ¼ in*	476 mm *33 ½ in*	500 mm *20 in*


	H	W	
Boxes size	368 mm *14 ½ in*	368 mm *14 ½ in*	*Large*

Voltage	110V / 1A
Temperature	Inside locker -5°F to 122°F -15°C to 50°C
Gross Weight	235 lbs
Materials	Interior and exterior : Galvanized steel
Certification	CSA certified



PARCEL ONE


17 Doors Extension



Size	H	W	D
	2013 mm *79 ¼ in*	476 mm *33 ½ in*	500 mm *20 in*


Boxes size	H	W	
	108 mm *4 ¼ in*	368 mm *14 ½ in*	*Small*
	197 mm *7 ¾ in*	368 mm *14 ½ in*	*Medium*
	368 mm *14 ½ in*	368 mm *14 ½ in*	*Large*

Voltage	110V / 1A	
Temperature	Inside locker	-5°F to 122°F -15°C to 50°C
Gross Weight	370 lbs	
Materials	Interior and exterior : Galvanized steel	
Certification	CSA certified	



PARCEL ONE

4 Doors Extension



	H	W	D
Size	2013 mm *79¼ in*	851 mm *33½ in*	500 mm *20 in*

	H	W	
Boxes size	952,5 mm *37½ in*	368,3 mm *14 ½ in*	*X-Large*

Voltage	110V / 1A		
Temperature	Inside locker	-5°F to 122°F	-15°C to 50°C
Gross Weight	290 lbs		
Materials	*Interior and exterior : Galvanized steel*		
Certification	CSA certified		

